

24 inch All in one Advertising Player/Digital Signage (Touch Screen / IPS 1920*1080 Pixels)

Model No: JA240M-H01

| | Pric | | Price USD | ice USD | |
|------------|--|--------|-----------|---------|--|
| Model | Product Features | Sample | 1K-3K | | |
| | Auto Play + Playlist + Schedule + Slide Effect + | | | | |
| JA240M-H01 | Music + Subtitle + Easy Management | | | | |
| New Design | + Clock + File Sorting | | | | |

Remark: FOB Shenzhen price, the delivery time is about 30-35 days for 1-10K order

Unique Newest Design





JA240M-H01

Selling Points:

- 1. WiFi,Bluetooth and 4G
- 2. Support FHD 1080P Video Playback, Auto Play in Loop
- 3. All in One Function, Customization is available
- 4. Remotely Share&Upload & Delete Photos, Videos, Music etc. Via our in-house App AdMaster
- 5. PC Wireless Control to Upload&Down&Delete Contents from Multiple Advertising Players (No Distance Limit)
- 6. Playing Mode: Single Loop, Random, Order, Multi-Split Screen Display...
- 7. Support Picture, Video, Music, Website link, Live broadcast, docx, xls, ppt, rtf, pdf, etc.



| | CPU | A133 Quad-Core ARM Cortex-A53,1.6 GHz |
|--------------------------|---------------------------------------|---|
| System | RAM | 2GB |
| | Internal Memory | 64GB |
| | Operation System | Android 10.1 |
| | · · · · · · · · · · · · · · · · · · · | 5Point capacitive touch |
| | Touch Screen | Respond Time: 2ms |
| Software | APP | In-house AdMaster App Supported by World Famous Cloud System |
| | Respond Distance | Wireless Control (Unlimited) |
| Display | Panel | 10.1 inch IPS Touch Screen |
| | Resolution | 1920*1080 Pixels |
| | Active Area | 528.80 (H)x 298.20 mm(V) |
| | Display Mode | Normally black, IPS |
| | Contrast Ratio | 1000: 1 |
| | Brightness | 250cd/m² |
| | Aspect Ratio | 16:10 |
| Network - | 4G | Support JP/EU/AM/CN |
| | WIFI | WIFI6 Double Frequency 802.11a/b/g/n/ac/ax |
| | Bluetooth | Bluetooth 5.4 |
| | Ethernet | N/A |
| | Camera | N/A |
| Interface | Card Slot | TF |
| | HDMI Output | N/A |
| | TYPE-C | Support |
| | USB Host | 1 * USB Host 2.0 |
| | RJ45 | N/A |
| | Power Jack | 5v DC input |
| | Earphone | N/A |
| Built-in Stereo Speakers | | speaker 2X2W |
| | • | MPEG-1,MPEG-2,MPEG-4,H.263,H.264.VC1,RV,etc.Support up to 1920*1080p |
| Multimedia | Video Format | 480i/480P/576i/576P/720i/720P/1080i/1080P & RMVB |
| File Support | Picture Format | JPEG / BMP / GIF / PNG,etc. |
| | Audio Format | Mp3 / WMA / OGG / AAC / APE / FLAC / WAV,etc. |
| Power | Power Input | AC100-240v,50/60HZ |
| | Standby Power | ≤1W,Support the low power standby mode |
| | Power Rating | ≤1 0W |
| | | 1. FHD 1080P Video&Audio Playback Function |
| Main Features | | 2. Auto Photo&Music&Video Start Up & Schedule Auto On/Off |
| | | 3. Main Function: Auto Play + Playlist + Schedule + Slide Effect + Subtitle + |
| | | Easy Management+ Clock + File Sorting |
| | | 4. Special Features:Motion Sensor+Remote Control+Auto Rotation |
| | | 5. Elegant frame Design for Selection |
| | | 6. Auto start playing advertising contents after power-up |
| | | 7. Playlist Support |
| | | 8. Scheduling support |



| | En do inon direction, Elb |
|-------------------------|--|
| | 9. Slide effect for advertising effect |
| | 10. Support background music |
| | 11. Support advertising description message |
| | 12. Easy file management for internal storage |
| | 13. Control OSD message |
| | 14. File Sorting |
| | Restaurants/Airports/Supermarkets/Cinemas/Stores/Franchises/Corporations |
| Applicable Scenarios: | /Subway Stations/ Train stations/Bus stops/Banks/Hospitals/Schools/ |
| | Hotel lobby/Elevator Rooms/Conference rooms/KTV/Bars/Museum etc. |
| Wall Mounted Hole | N/A |
| Working Temperature | 0-40℃ |
| OSD Language | English & Multi-language Selectable |
| Unit Size | 565. 36*334. 86*34 mm |
| Unit Weight | 1 |
| Accessories | Use Manual, Adapter, Bracket, Remote Control(Optional) |
| Standard Certification: | CE,FCC,ROHS |
| L | |

Description:

IPS LCD: 24 inch IPS Panel (16:9)
Resolution: 1920*1080 Pixels

Brightness: 250cd/m²
 Contrast: 300-500 : 1

Picture file format: JPEG / BMP / GIF / PNG

Music file format: Mp3 / WMA / OGG / AAC / APE / FLAC / WAV

Movie file format: MPEG1, MPEG2, MPEG4, Xvid, AVI, M-JPEG, H.263, H.264 BP/MP/HP, VP8, WMV9/VC-1

• Support Full HD MOVIES: Full HD Movie 480i/480P/576i/576P/720i/720P/1080i/1080P & RMVB&H.264

Memory Card Slot: Micro SD up to 64GB.

Interface: Type-C

Support Customization and Apply to:

Business Organizations: Supermarkets, large shopping malls, exclusive agencies, chain stores, large-scale sales venues, star-rated hotels, restaurants, travel agencies, pharmacies, and department stores. Additionally, it can be used in convenience stores, cafes within business districts, and office supply stores.

Financial Organizations: Banks, securities firms, funds, insurance companies, and pawnshops. It can also be found in investment consulting firms and credit unions.

Non-Profit Organizations: Telecommunications companies, post offices, hospital information centers, and education systems. Moreover, it can be utilized in public libraries, community centers, and charitable organizations.

Public Places: Subways, airports, stations, gas stations, toll stations, bookstores, parks, exhibition halls, stadiums, museums, convention centers, ticket agencies, HR markets, lottery centers. Also suitable for bus terminals, ferry terminals, tourist information centers, and public squares. Communication centers and traffic control centers can also benefit from these.



Real Estate Property: Apartments, villas, offices, commercial buildings, model rooms, and property brokers. It can also be placed in real estate development showrooms, property management offices, and rental agencies. Warehouses and conference centers are other potential locations.

Entertainments: Movie theaters, fitness halls, country clubs, clubs, massage rooms, bars, cafes, Internet bars, beauty shops, and golf courses. Additionally, it can be found in amusement parks, bowling alleys, and karaoke bars.

Accessories: Use Manual, Adapter, Bracket, Remote Control(Optional)

Standard Certification: CE /FCC/ROHS

Warranty: One year

Export Carton(TBD):

1.2 units per carton

2.Giftbox Size: L959*W513*H82MM 3.Carton Size: L975*W513*H82MM

4.Carton Weight: NW:12.00KG, GW:12.80KG 5.20" FCL/40"FCL/40"HQ:48/112/132 Cartons 20" FCL/40"FCL/40"HQ: 48/112/132 PCS

JOYHONG will provide the information as correct as possible. Product photos on this website may vary from the real products. Products information may vary from the products manual available in the market. Please use the products subjected to the specific information on the user manual. For details, please contact the related persons.